



# Publication List

V2, 18 Sept. 2018

## Contents

Philosophy and background .....	2
Publications 2018 .....	2
Publications 2017 .....	2
Publications 2016 .....	3
Publications 2015 .....	4
Publications 2014 .....	4
Publications 2013 .....	5
Publications 2012 .....	5
Publications before 2012.....	6
COMI.....	6

\*This list will be updated annually. For additions or corrections to this list, please contact

Spine Tango Project Lead  
SwissRDL – medical Registries and Data Linkage  
[spine.tango@ispm.unibe.ch](mailto:spine.tango@ispm.unibe.ch)

## Philosophy and background

1. Roder C, El-Kerdi A, Grob D, Aebi M. A European spine registry. *Eur Spine J.* 2002 Aug;11(4):303–7.
2. Aebi M, Grob D. SSE Spine Tango: a European Spine Registry promoted by the Spine Society of Europe (SSE). *Eur Spine J.* 2004;13(8):661–2.
3. Gunzburg R, Szpalski M, Aebi M. Does it take two to tango? *Eur Spine J.* 2005;14(10):919.
4. Roder C, Chavanne A, Mannion AF, Grob D, Aebi M. SSE Spine Tango - content, workflow, set-up. [www.eurospine.org](http://www.eurospine.org) - Spine Tango. *Eur Spine J.* 2005 Dec;14(10):920–4.
5. Roder C, Muller U, Aebi M. The rationale for a spine registry. *Eur Spine J.* 2006 Jan;15 Suppl 1:S52-6.
6. Roder C, Staub L, Dietrich D, Zweig T, Melloh M, Aebi M. Benchmarking with Spine Tango: potentials and pitfalls. *Eur Spine J.* 2009 Aug;18 Suppl 3:305–11.
7. Zweig T, Mannion AF, Grob D, Melloh M, Munting E, Tuschel A, et al. How to Tango: a manual for implementing Spine Tango. *Eur Spine J.* 2009 Aug;18 Suppl 3:312–20.

## Publications 2018

8. Bieri KS, Goodwin K, Aghayev E, Riesner H-J, Greiner-Perth R. Dynamic Posterior Stabilization versus Posterior Lumbar Intervertebral Fusion: A Matched Cohort Study Based on the Spine Tango Registry. *J Neurol Surg A Cent Eur Neurosurg.* 2018;79(3):224-230.
9. Brooks F, Rackham M, Williams B, Roy D, Lee YC, Selby M. Minimally invasive stabilization of the fractured ankylosed spine: a comparative case series study. *J spine Surg (Hong Kong).* 2018;4(2):168-172.
10. Morris S, Booth J. Shaping conservative spinal services with the Spine Tango Registry. *Eur Spine J.* 2018;27(3):543-553.

## Publications 2017

11. Becker H-J, Nauer S, Porchet F, Kleinstück FS, Haschtmann D, Fekete TF, et al. A novel use of the Spine Tango registry to evaluate selection bias in patient recruitment into clinical studies: an analysis of patients participating in the Lumbar Spinal Stenosis Outcome Study (LSOS). *Eur Spine J.* 2017;26(2):441–9.
12. Borcek AO, Bulduk EB, Civi S, Emmez H, Kaymaz M. Spine Tango in Turkish: Development of a Local Registry System. *Turk Neurosurg.* 2017;27(2):237–44.
13. Gabel CP, Cuesta-Vargas A, Qian M, Vengust R, Berlemann U, Aghayev E, et al. The Oswestry Disability Index, confirmatory factor analysis in a sample of 35,263 verifies a one-factor structure but practicality issues remain. *Eur Spine J.* 2017;26(8):2007–13.
14. Herren C, Sobottke R, Mannion AF, Zweig T, Munting E, Otten P, et al. Incidental durotomy in decompression for lumbar spinal stenosis: incidence, risk factors and effect on outcomes in the Spine Tango registry. *Eur Spine J.* 2017;

15. Sobottke R, Herren C, Siewe J, Mannion AF, Roder C, Aghayev E. Predictors of improvement in quality of life and pain relief in lumbar spinal stenosis relative to patient age: a study based on the Spine Tango registry. *Eur Spine J.* 2017;26(2):462–72.
16. Virdee JS, Nadig A, Anagnostopoulos G, George KJ. Comparison of peri-operative and 12-month lifestyle outcomes in minimally invasive transforaminal lumbar interbody fusion versus conventional lumbar fusion. *Br J Neurosurg.* 2017;31(2):167–71.
17. Zweig T, Enke J, Mannion AF, Sobottke R, Melloh M, Freeman BJC, et al. Is the duration of pre-operative conservative treatment associated with the clinical outcome following surgical decompression for lumbar spinal stenosis? A study based on the Spine Tango Registry. *Eur Spine J.* 2017;26(2):488–500.

## Publications 2016

18. Beyer F, Geier F, Bredow J, Oppermann J, Schmidt A, Eysel P, et al. Non-operative treatment of lumbar spinal stenosis. *Technol Heal Care.* 2016 Jul 27;24(4):551–7.
19. Fekete TF, Haschtmann D, Kleinstück FS, Porchet F, Jeszenszky D, Mannion AF. What level of pain are patients happy to live with after surgery for lumbar degenerative disorders? *Spine J.* 2016 Apr;16(4):S12–8.
20. Ferlic PW, Mannion AF, Jeszenszky D, Porchet F, Fekete TF, Kleinstück F, et al. Patient-reported outcome of surgical treatment for lumbar spinal epidural lipomatosis. *Spine J.* 2016;16(11):1333–41.
21. Greiner-Perth R, Sellhast N, Perler G, Dietrich D, Staub LP, Röder C. Dynamic posterior stabilization for degenerative lumbar spine disease: a large consecutive case series with long-term follow-up by additional postal survey. *Eur Spine J.* 2016 Aug 30;25(8):2563–70.
22. Kleinstueck FS, Fekete TF, Jeszenszky D, Haschtmann D, Mannion AF. Adult degenerative scoliosis: comparison of patient-rated outcome after three different surgical treatments. *Eur Spine J.* 2016 Aug 8;25(8):2649–56.
23. Marbacher S, Mannion AF, Burkhardt J-K, Schär RT, Porchet F, Kleinstück F, et al. Patient-Rated Outcomes of Lumbar Fusion in Patients With Degenerative Disease of the Lumbar Spine: Does Age Matter? *Spine (Phila Pa 1976).* 2016;41(10):893–900.
24. Morris S, Booth J, Hegarty J. Spine Tango registry data collection in a conservative spinal service: a feasibility study. *Eur Spine J.* 2016;25(9):2984–92.
25. Pochon L, Kleinstück FS, Porchet F, Mannion AF. Influence of gender on patient-oriented outcomes in spine surgery. *Eur Spine J.* 2016 Jan 5;25(1):235–46.
26. Staub LP, Ryser C, Röder C, Mannion AF, Jarvik JG, Aebi M, et al. Total disc arthroplasty versus anterior cervical interbody fusion: use of the Spine Tango registry to supplement the evidence from randomized control trials. *Spine J.* 2016;16(2):136–45.
27. van Hooff ML, Mannion AF, Staub LP, Ostelo RWJG, Fairbank JCT. Determination of the Oswestry Disability Index score equivalent to a “satisfactory symptom state” in patients undergoing surgery for degenerative disorders of the lumbar spine—a Spine Tango registry-based study. *Spine J.* 2016;16(10):1221–30.
28. Zehnder P, Aghayev E, Fekete TF, Haschtmann D, Pigott T, Mannion AF. Influence of previous surgery on patient-rated outcome after surgery for degenerative disorders of the lumbar spine. *Eur Spine J.* 2016;25(8):2553–62.

## Publications 2015

29. Aghayev E, Roder C, Define H, Herrero C, Aebi M. The Importance of a Registry in Spinal Surgery. In: Pinheiro-Franco J, Mayer M, Vaccaro A, Brenzel E, editors. *Advanced Concepts in Lumbar Degenerative Disc Disease*. Springer Science + Business Media; 2015. p. 793–804.
30. Bellut D, Burkhardt J-K, Mannion AF, Porchet F. Assessment of outcome in patients undergoing surgery for intradural spinal tumor using the multidimensional patient-rated Core Outcome Measures Index and the modified McCormick Scale. *Neurosurg Focus*. 2015 Aug;39(2):E2.
31. Burkhardt J-K, Mannion AF, Marbacher S, Kleinstück FS, Jeszenszky D, Porchet F. The influence of cervical plate fixation with either autologous bone or cage insertion on radiographic and patient-rated outcomes after two-level anterior cervical discectomy and fusion. *Eur Spine J*. 2015 Jan;24(1):113–9.
32. Lattig F, Fekete TF, Kleinstück FS, Porchet F, Jeszenszky D, Mannion AF. Lumbar facet joint effusion on MRI as a sign of unstable degenerative spondylolisthesis: should it influence the treatment decision? *J Spinal Disord Tech*. 2015;28(3):95–100.
33. Loibl M, Korsun M, Reiss J, Gueorguiev B, Nerlich M, Neumann C, et al. Spinal fracture reduction with a minimal-invasive transpedicular Schanz Screw system: clinical and radiological one-year follow-up. *Injury*. 2015 Oct;46 Suppl 4:S75-82.
34. Mannion AF, Fekete TF, Wertli MM, Mattle M, Nauer S, Kleinstück FS, et al. Could less be more when assessing patient-rated outcome in spinal stenosis? *Spine (Phila Pa 1976)*. 2015;40(10):710–8.
35. Munting E, Roder C, Sobottke R, Dietrich D, Aghayev E. Patient outcomes after laminotomy, hemilaminectomy, laminectomy and laminectomy with instrumented fusion for spinal canal stenosis: a propensity score-based study from the Spine Tango registry. *Eur Spine J*. 2015 Feb;24(2):358–68.
36. Reinshagen C, Ruess D, Molcanyi M, Redjal N, Walcott BP, Goldbrunner R, et al. A novel translaminar crossover approach for pathologies in the lumbar hidden zone. *J Clin Neurosci Off J Neurosurg Soc Australas*. 2015 Jun;22(6):1030–5.
37. Rischke B, Zimmers KB, Smith E. Viscoelastic Disc Arthroplasty Provides Superior Back and Leg Pain Relief in Patients with Lumbar Disc Degeneration Compared to Anterior Lumbar Interbody Fusion. *Int J Spine Surg*. 2015;9:26.
38. Roder C, Baumgartner B, Berlemann U, Aghayev E. Superior outcomes of decompression with an interlaminar dynamic device versus decompression alone in patients with lumbar spinal stenosis and back pain: a cross registry study. *Eur Spine J*. 2015 Oct;24(10):2228–35.

## Publications 2014

39. Al-Mahfoudh R, Qattan E, Ellenbogen JR, Wilby M, Barrett C, Pigott T. Applications of the ultrasonic bone cutter in spinal surgery--our preliminary experience. *Br J Neurosurg*. 2014 Jan;28(1):56–60.

40. Bellut D, Mutter UM, Sutter M, Eggspuehler A, Mannion AF, Porchet F. Back pain in patients with degenerative spine disease and intradural spinal tumor: what to treat? when to treat? *Eur Spine J.* 2014 Apr;23(4):821–9.
41. Mannion AF, Fekete TF, Porchet F, Haschtmann D, Jeszszky D, Kleinstuck FS. The influence of comorbidity on the risks and benefits of spine surgery for degenerative lumbar disorders. *Eur Spine J.* 2014 Apr;23 Suppl 1:S66-71.
42. Mannion AF, Mutter UM, Fekete TF, Porchet F, Jeszszky D, Kleinstück FS. Validity of a single-item measure to assess leg or back pain as the predominant symptom in patients with degenerative disorders of the lumbar spine. *Eur Spine J.* 2014 Apr;23(4):882–7.
43. Murray NJ, Demetriades AK, Rolton D, Nnadi C. Do surgeon credentials affect the rate of incidental durotomy during spine surgery. *Eur Spine J.* 2014 Aug;23(8):1767–71.

## Publications 2013

44. Burkhardt J-K, Mannion AF, Marbacher S, Dolp PA, Fekete TF, Jeszszky D, et al. A comparative effectiveness study of patient-rated and radiographic outcome after 2 types of decompression with fusion for spondylotic myelopathy: anterior cervical discectomy versus corpectomy. *Neurosurg Focus.* 2013;35(1):E4.
45. Mannion AF, Fekete TF, O ’riordan D, Porchet F, Mutter UM, Jeszszky DO, et al. The assessment of complications after spine surgery: time for a paradigm shift? *Spine J.* 2013;13:615–24.
46. Miekisiak G, Kollataj M, Dobrogowski J, Kloc W, Libionka W, Banach M, et al. Cross-cultural adaptation and validation of the Polish version of the core outcome measures index for low back pain. *Eur Spine J.* 2013;22(5):995–1001.
47. Neukamp M, Perler G, Pigott T, Munting E, Aebi M, Roder C. Spine Tango annual report 2012. *Eur Spine J.* 2013 Sep;22 Suppl 5:767–86.

## Publications 2012

48. Aghayev E, Henning J, Munting E, Diel P, Moulin P, Roder C. Comparative effectiveness research across two spine registries. *Eur Spine J.* 2012 Aug;21(8):1640–7.
49. Genevay S, Cedraschi C, Marty M, Rozenberg S, De Goumoëns P, Faundez A, et al. Reliability and validity of the cross-culturally adapted French version of the Core Outcome Measures Index (COMI) in patients with low back pain. *Eur Spine J.* 2012;21(1):130–7.
50. Mannion AF, Boneschi M, Teli M, Luca A, Zaina F, Negrini S, et al. Reliability and validity of the cross-culturally adapted Italian version of the Core Outcome Measures Index. *Eur Spine J.* 2012 Aug;21 Suppl 6:S737-49.
51. Roder C, Errico TJ, Spivak JM, Murray M, Protopsaltis T, Lis A, et al. Hospital for joint diseases participates in international spine registry Spine Tango after successful pilot study. *Bull NYU Hosp Jt Dis.* 2012;70(4):254–8.
52. Sobottke R, Aghayev E, Röder C, Peer E, Delank SK, Zweig T. Predictors of surgical, general and follow-up complications in lumbar spinal stenosis relative to patient age as emerged from the Spine Tango Registry. *Eur Spine J.* 2012;21:411–7.

## Publications before 2012

53. Grob D, Bartanusz V, Jeszenszky D, Kleinstück FS, Lattig F, O’Riordan D, et al. A prospective, cohort study comparing translaminar screw fixation with transforaminal lumbar interbody fusion and pedicle screw fixation for fusion of the degenerative lumbar spine. *J Bone Jt Surg (Br)*. 2009 Oct 1;91(10):1347–53.
54. Grob D, Luca A, Mannion AF. An observational study of patient-rated outcome after atlantoaxial fusion in patients with rheumatoid arthritis and osteoarthritis. *Clin Orthop Relat Res*. 2011 Mar;469(3):702–7.
55. Grob D, Mannion AF. The patient’s perspective on complications after spine surgery. *Eur Spine J*. 2009 Aug;18 Suppl 3:380–5.
56. Grob D, Porchet F, Kleinstueck FS, Lattig F, Jeszenszky D, Luca A, et al. A comparison of outcomes of cervical disc arthroplasty and fusion in everyday clinical practice: surgical and methodological aspects. *Eur Spine J*. 2010 Feb;19(2):297–306.
57. Kessler JT, Melloh M, Zweig T, Aghayev E, Roder C. Development of a documentation instrument for the conservative treatment of spinal disorders in the International Spine Registry, Spine Tango. *Eur Spine J*. 2011 Mar;20(3):369–79.
58. Kleinstueck FS, Fekete T, Jeszenszky D, Mannion AF, Grob D, Lattig F, et al. The outcome of decompression surgery for lumbar herniated disc is influenced by the level of concomitant preoperative low back pain. *Eur Spine J*. 2011 Jul;20(7):1166–73.
59. Kleinstueck FS, Grob D, Lattig F, Bartanusz V, Porchet F, Jeszenszky D, et al. The influence of preoperative back pain on the outcome of lumbar decompression surgery. *Spine (Phila Pa 1976)*. 2009 May;34(11):1198–203.
60. Lattig F, Grob D, Kleinstueck FS, Porchet F, Jeszenszky D, Bartanusz V, et al. Ratings of global outcome at the first post-operative assessment after spinal surgery: how often do the surgeon and patient agree? *Eur Spine J*. 2009 Aug;18 Suppl 3:386–94.
61. Mannion AF, Elfering A, Staerkle R, Junge A, Grob D, Semmer NK, et al. Outcome assessment in low back pain: how low can you go? *Eur Spine J*. 2005;14(10):1014–26.
62. Melloh M, Staub L, Aghayev E, Zweig T, Barz T, Theis J-C, et al. The international spine registry SPINE TANGO: status quo and first results. *Eur Spine J*. 2008;17:1201–9.
63. Porchet F, Bartanusz V, Kleinstueck FS, Lattig F, Jeszenszky D, Grob D, et al. Microdiscectomy compared with standard discectomy: an old problem revisited with new outcome measures within the framework of a spine surgical registry. *Eur Spine J*. 2009 Aug 3;18 Suppl 3(S3):360–6.
64. Sobottke R, Csecsei G, Kaulhausen T, Delank S, Franklin J, Aghayev E, et al. [Spinal surgery in the elderly: does age have an influence on the complication rate?]. *Orthopade*. 2008 Apr;37(4):367–73.

## COMI

65. Deyo RA, Battie M, Beurskens AJ, Bombardier C, Croft P, Koes B, et al. Outcome measures for low back pain research. A proposal for standardized use. *Spine (Phila Pa 1976)*. 1998;23(18):2003–13.

66. Ferrer M, Pellisé F, Escudero O, Alvarez L, Pont A, Alonso J, et al. Validation of a Minimum Outcome Core Set in the Evaluation of Patients With Back Pain. *Spine (Phila Pa 1976)*. 2006;31(12):1372–9.
67. Fankhauser CD, Mutter U, Aghayev E, Mannion AF. Validity and responsiveness of the Core Outcome Measures Index (COMI) for the neck. *Eur Spine J*. 2012 Jan 20;21(1):101–14.