

**Directions**

- Use a #2 soft pencil for marking.
- Text answers must be entered with the web interface.
- All questions in blue must be completed.
- Completely fill in boxes to record answers.

**Question types**

- only 1 answer allowed      ..... please specify
- multiple answers allowed       mandatory information

**Level of intervention**

- upper cervical       cervicothoracic       thoracic       thoraco-lumbo-sacral       lumbo-sacral       coccyx
- mid lower cervical       cervico-thoraco-lumbar       thoracolumbar       lumbar       sacral

Internal Use Only  
Not read by scanner

Last name		First name		Gender
Street			M.R.N.	
Country code	Zip code	City		
Social security number			Birthdate (DD.MM.YYYY)	

**Follow-up**

Day  1  2  3  4  5  6  7  8  9  10  11  12  13  14  15  16  17  18  19  20  21  22  23  24  25  26  27  28  29  30  31

Month  1  2  3  4  5  6  7  8  9  10  11  12      Year  16  17  18  19  20  21  22  23  24  25  26  27  28  29

**Follow up interval**

- 6 weeks       1 year
  - 3 months       2 years
  - 6 months       other (yrs.) .....
- (Ex. 4 months=0.33 yrs. (4/12))

**Work status**

- not at work since OP       resumed work, different job       housewife/man
- started partially, same job       has been dismissed       child/student
- fully reintegrated       retired since OP       other .....
- resumed work, but quit again       retired before OP

Only comment on those goals/measures which were indicated for the "Therapeutic goals" question on the "SURGERY" form.

**Therapeutic goals/measures achieved**

- none
- axial pain relief
- peripheral pain relief
- functional improvement
- motor improvement
- sensory improvement
- bowel / bladder function improvement
- spinal stabilization
- stop deformity progression
- deformity correction
- prophylactic decompression
- cosmetic improvement
- diagnostic measures
- other

**Therap. goals/measures partially achieved**

- none
- axial pain relief
- peripheral pain relief
- functional improvement
- motor improvement
- sensory improvement
- bowel / bladder function improvement
- spinal stabilization
- stop deformity progression
- deformity correction
- prophylactic decompression
- cosmetic improvement
- diagnostic measures
- other

**Therapeutic goals/measures not achieved**

- none
- axial pain relief
- peripheral pain relief
- functional improvement
- motor improvement
- sensory improvement
- bowel / bladder function improvement
- spinal stabilization
- stop deformity progression
- deformity correction
- prophylactic decompression
- cosmetic improvement
- diagnostic measures
- other

**Medication for spinal surgery/pathology**

- none       strong opiates (WHO III)       vitamin B complex
- NSAID, Paracetamol (WHO I)       steroids       antibiotics
- weak opiates (WHO II)       antidepressives       other .....

**Overall outcome (examiner)**

- not applicable       good       poor
- excellent       fair

**Rehabilitation**

- none       outpatient rehab / physio       other .....
- home-based       inpatient rehab / physio

**Decision**

- no further follow-up       revision foreseen
- further follow-up       other primary intervention foreseen

Comments regarding follow-up .....

**Complications**

**Complications**

- no (Answer "no" excludes all remaining questions.)
- yes

**Time**

- early, Op-day - 28 days postop
- sub-acute, 2 - 6 months
- late, > 6 months .....

**Type**

- sensory dysfunction       spondylitis       adjac. segment pathology
- motor dysfunction       discitis       recurrent tumor
- bowel / bladder dysfunction       epidural hematoma       decompensation of spine
- non-union       extravertebral hematoma       cardiovascular
- implant failure       wrong level       gastrointestinal
- instability       implant malposition       central nervous system
- CSF leak / pseudomeningocele       recurrence of symptoms       fx vertebral structures
- wound infection superficial       graft complication       thromboembolism
- wound infection deep       sequelae anaesthesia       other .....

**Therapeutic consequences**

- none
- non-operative inpatient
- non-operative outpatient
- reintervention
- other .....

**Individual consequences**

- none
- increased pain
- prolonged impairment
- reduced social activities
- permanent impairment
- other .....

Examiner .....

Comments regarding complications .....